



Bluetooth headset Tellur Pulse TLL511271/TLL511281/TLL511371 User Guide

INTO YOUR FUTURE

## Operating Instructions: (1). Bluetooth pairing (Power on/off) key

- \* Long press the button three seconds to pair headphone with mobile phone; Long press the button three
- seconds again to disconnect Bluetooth. \* In wireless mode when getting a calling: Short press to answer the call, long press to reject, press 2 times to redial.
- (2). Button + : In wireless mode, Short press: next song; long press: volume
- up (3). Button - : In wireless mode, Short press: previous song; long press:
- volume down (4). Pause/Play Button: Short press to pause/start the play in wireless mode

## **Specifications**

Bluetooth version: v5.0 Wireless range: 10 m

Microphone: Yes Frequency: 2.4GHz, Class 2

Supported profiles: HFP, HSP, A2DP, AVRCP Driver unit: 40mm

Sensitivities: 117±3dB Impedance: 32Ω

Frequency response: 20-20kHz

Music play time: up to 8 hours Standby time: up to 200 hours

Charge time: up to 2.5 hour

Volume control: Yes Cord length: 50cm

Input: Micro-USB, 5V

Bluetooth pairing name: Tellur Pulse



## **Declaration of conformity**

We, ABN SYSTEMS INTERNATIONAL S.R.L., Bucharest, Sector 1, Marinarilor street, nr. 31, we declare on own responsibility that the product below:

## Product description: Bluetooth headstet Tellur Pulse, black/blue/white **Brand: Tellur**

Product code: TLL511271/TLL511281/TLL511371

It does not endanger life, health, work safety, does not have a negative impact on the environment and corresponds to the standards stated in the manufacturer's declaration of conformity. The product is in compliance with the following standards and / or other normative documents:

ED - 2014/53/EU Applied standards: ETSI EN 300 328 V2.1.1 (2016-11) EN 62479:2010

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013

EN 50332-1:2013 EN 301 489-1 V2.2.0 EN 301 489-17 V3.2.0

RoHS - 2011/65/EU

Name: George Barbu

The product bears CE mark, applied in 2019

Place and date: Bucuresti, 22-07-2019 Function: Director General Signature:



(ES)

