

#IntoYourFuture



TELLUR


#FollowTellur

WiFi Gas Sensor

- **High-sensitivity**
- **Notifications**
- **Easy installation.**



Detects gas leakage and triggers the alarm




Multiple warnings: light indicator, high-decibel acoustic alarm & push notification

- **Compatible with Tellur Smart app, perfectly integrated in the Smart Home ecosystem**
- **Easy to install & use**



Remote Control

Moreover, it can be remotely controlled anytime, from anywhere through the Tellur Smart app.



Technical specs	
Power supply:	DC 12V (AC 220V adapter included)
Alarm level:	70dB @ 1 meter
Push notifications:	Yes
History record:	Yes
Self test:	Yes
Gas type detection:	Natural gas (CH4)
Tolerated concentration:	±5% LEL (Lower Explosive Limit)
Alarm concentration:	8%LEL,tolerance ±3% LEL
Alarm response time:	<30 seconds
WiFi standard:	IEEE 802.11b/g/n
Supported WiFi network:	2.4GHz
Color:	White
Housing material:	PC + ABS
Installation method:	Screws or 3M tape
Operating temperature:	-10°C - +55°C
Operating humidity:	5% - 95% RH
Product dimensions:	66 x 66 x 29mm
Product weight:	70 gr
Package includes:	1 x Tellur Gas sensor 1 x DC12V adapter 1 x 3M tape 1 x Screws kit
Package dimensions:	80 x 80 x 67mm
Package weight:	198 gr
Product code:	TLL331291
EAN:	5949120003421

66mm



66mm

29mm

THANK YOU!

For more information, please visit
smart.tellur.com.

